




Q.4

- a) Give an algorithm to solve the All-pairs shortest path problem using dynamic programming. What is its time complexity? Find the All-pairs shortest path for all the vertices for the following graph. (10)



- b) Explain the KMP algorithm for string matching with a suitable example. What is the advantage of the KMP algorithm over other string-matching algorithms? (10)

Q.5

- a) Explain asymptotic notations in detail. (10)
- b) Give an algorithm to find Longest Common Subsequence between two sequences using Dynamic Programming. Also, find the LCS for the following strings: X = "AMERICA" (10)

Y = "ARMENIA"

Q.6

- a) What is assembly line scheduling? Explain its solution using dynamic programming (10)
- b) Write detailed notes on P, NP, NP-Hard and NP-Complete class of problems. (10)

\*\*\*\*\*







- Q.4 a. Verify Cayley-Hamilton theorem for the matrix A and hence find the matrix represented by 06

$$\text{by } A^6 - 6A^5 + 9A^4 + 4A^3 - 12A^2 + 2A - I \text{ where } A = \begin{bmatrix} 3 & 10 & 5 \\ -2 & -3 & -4 \\ 3 & 5 & 7 \end{bmatrix}.$$

- b. In a survey of 200 boys of which 75 were intelligent, 40 had educated fathers, while 90 of the unintelligent boys had uneducated fathers. Do these figures support the hypothesis that educated fathers have intelligent boys. 06

- c. Using the Kuhn -Tucker conditions to solve the N.L.P.P 08  
 Maximize  $z = 8x_1 + 10x_2 - x_1^2 - x_2^2$   
 Subject to  $3x_1 + 2x_2 \leq 6;$   
 $x_1, x_2 \geq 0$

- Q.5 a. Evaluate  $\oint \frac{3z^2+z}{z^2-1} dz$  using Cauchy's residue theorem, 06  
 where C is the circle  $|z| = 2$ .

- b. Using the method of Lagrange's multiplier solve the N.L.P. 06

$$\text{Optimize } z = 10x_1 + 8x_2 + 6x_3 + 2x_1^2 + x_2^2 + 3x_3^2 - 100.$$

$$\text{Subject to } x_1 + x_2 + x_3 = 20.$$

$$x_1, x_2, x_3 \geq 0.$$

- c. The marks obtained by 1000 students in an examination are found to be normally 08  
 Distributed with mean 70 and s. d. 5. Estimate the number of students whose marks Will be (i) between 60 and 75 (ii) more than 75.

- Q.6 a. Find the inverse z-transform of  $F(z) = \frac{1}{(z-3)(z-2)}$  if ROC is  $2 < |z| < 3$ . 06

- b. Show that the matrix  $A = \begin{bmatrix} -9 & 4 & 4 \\ -8 & 3 & 4 \\ -16 & 8 & 7 \end{bmatrix}$  is diagonalisable. find the diagonal 06  
 form D and diagonalizing matrix M.

- c. Solve the L.P.P by simplex method. 08

$$\text{Maximize } z = 4x_1 + 3x_2 + 6x_3$$

$$\text{Subject to } 2x_1 + 3x_2 + 2x_3 \leq 440;$$

$$4x_1 + 0x_2 + 3x_3 \leq 470;$$

$$2x_1 + 5x_2 + 0x_3 \leq 430;$$

$$x_1, x_2, x_3 \geq 0.$$

# 1

Correction in Microprocessor

Q.P. Code: 10082319

Note to be included

N.B.:1) Answer any four questions

2) Assume suitable data wherever required

3) Draw diagrams wherever required

2025-09-23 14:35:49 (sageprint)



muquestionpapers.com



Duration: 3hrs

[Max Marks:80]

- N.B. : (1) Question No 1 is Compulsory.  
 (2) Attempt any three questions out of the remaining five.  
 (3) All questions carry equal marks.  
 (4) Assume suitable data, if required and state it clearly.



- Q.1 Attempt any FOUR [20]  
 a Explain the types of Multiprocessor Systems [5]  
 b Differentiate between context switching and interrupt handling [5]  
 c A counting semaphore S is initialized to 10. Then, 6 P operations and 4 V operations are performed on S. What is the final value of S? [5]  
 d Calculate the effective memory access time in nanoseconds if the hit ratio to a TLB is 80%, and it takes 15 nanoseconds to search the TLB, and 150 nanoseconds to access the main memory. [5]  
 e What is file? Explain File attributes [5]
- Q.2 a Explain Producer Consumer Problem with solution using Semaphore [10]  
 b Explain one system call of each type of system calls with an example [10]
- Q.3 a Draw a Gantt Chart and Calculate average waiting time and average turnaround time for FCFS, Pre-emptive Priority, SJF Pre-emptive and Round Robin algorithm (Time Quantum=2) for the following set of processes with arrival time (in milliseconds) and CPU burst time (in milliseconds). [10]

Process	Arrival Time	Burst Time	Priority
P1	3	2	1
P2	1	1	2
P3	3	3	0
P4	4	5	3
P5	5	4	4

- b Consider the following snapshot of a system. [10]

Processes	Allocation			Request			Available		
	A	B	C	A	B	C	A	B	C
P0	0	1	0	0	0	0	0	0	0
P1	2	0	0	2	0	2			
P2	3	0	3	0	0	0			
P3	2	1	1	1	0	0			
P4	0	0	2	0	0	2			

Answer the following questions using the Deadlock Detection algorithm:

- i. Check if the system is in a safe state? If Yes find out safe sequence state [5]  
 ii. If a request from process P2 arrives for (0,0,1), can the request be granted immediately? [3]  
 iii. Determine the total instances of each type of resource. [2]

QP code  
79705

Page 1 of 2

Prog code  
1T00734

